21002

STATE OF COLOR

Roy Romer, Covernor Pswida A. Nolan, MD, MPI I, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

HAZARDOUS MATERIALS AND WASTE MANAGEMENT DIVISION

Phone (303) 692-3300

4300 Cherry Creek Dr 5 222 5. 6th Street, Room 232 Crand Junction, Chlorado 80222-1530 Phone (303) 692-3300 Phone (303) 248-7164

Fx (303) 759 5355 Fox (303) 248-7198

October 18, 1994



Mr. Steven W. Slaten U S Department of Energy Rocky Flats Plant Building 116 P O Box 928 Golden, Colorado 80402-0928

Conditional Approval, RE: Final, Phase II RFI/RI Work Plan, Operable Unit No. 4, Solar Evaporation Ponds, September, 1994.

Dear Mr Slaten,

The Colorado Department of Health, Hazardous Materials and Waste Management Division and the U S Environmental Protection Agency ("the agencies") have reviewed the subject document as submitted by DOE and prime contractor, EG&G. The comments of both agencies are attached

Our reviews indicate that the work plan sets forth rational approaches that support investigation goals but is vague or incomplete in respect to the utilization of the data in risk assessments Consequently, DOE is hereby granted a conditional approval to allow work plan implementation to proceed while the general risk assessment issues are being resolved.

In the interest of expedited resolution of the risk assessments issues, the agencies are available to discuss specific comments on an informal basis. Please contact the agencies representatives to arrange a meeting date

If you have any questions concerning the comments or desire to arrange a meeting, please contact Harlen Ainscough of my staff at 692-3337 or Arturo Duran of EPA at 294-1080.

Sincerely,

Joe Schieffelin, Unit Leader Rocky Flats 1AG Unit Hazardous Waste Control Program

Attachments

ADMIN RECORD

cc: Daniel S. Miller, AGO
Steve Tarlton, RFPU
Martin Hestmark, EPA
Arturo Duran, EPA
Frazer Lockhart, DOE
Andy Ledford, EGEG
Randy Ogg, EGEG

*

i

#

7